Author Index

Ackermans, M. T., Everaerts, F. M. and Beckers, J. L.
Quantitative analysis in capillary zone electrophoresis with conductivity and indirect UV detection 549(1991)345
Ammon, H. U., see Karlaganis, G. 549(1991)229
Anderson, Jr., J. M., see Saari-Nordhaus, R. 549(1991)257
Araki, T., see Tanaka, N. 549(1991)29
Barros, A. M. V., see Gigante, B. 549(1991)217
Beckers, J. L., see Ackermans, M. T. 549(1991)345
Berahia, T., see Gaydou, E. M. 549(1991)440
Berthod, A.
Silica: backbone material of liquid chromatographic column packings (Review) 549(1991)1
Bhalerao, N. V., see Ghatge, B. B. 549(1991)423
Bianchini, J.-P., see Gaydou, E. M. 549(1991)440
Biswas, M., see Lookabaugh, M. 549(1991)357
Blaas, D., see Widhalm, A. 549(1991)446
Blackwell, J. A. and Carr, P. W.
Study of the fluoride adsorption characteristics of porous microparticulate zirconium oxide 549(1991)43
Blackwell, J. A. and Carr, P. W.
Fluoride-modified zirconium oxide as a biocompatible stationary phase for high-performance liquid chromatography 549(1991)59
Brice, K. A., see Williams, D. T. 549(1991)297
Burgi, D. S., see Salomon, K. 549(1991)375
Camenzind, R., see Karlaganis, G. 549(1991)229
Camilleri, P., see Okafo, G. N. 549(1991)404
Capangpangan, M. B., see Schnable, J. G. 549(1991)335
Cardinali, C., see Viscomi, G. C. 549(1991)175
Carr, P. W., see Blackwell, J. A. 549(1991)43
Carr, P. W., see Blackwell, J. A. 549(1991)59
Cheng, M.-C., see Hsu, M.-C. 549(1991)410
Chen, Jr., E. N. and Nero, V. P.
Separation and identification of sulfurized alkylphenols in oil by high-performance liquid chromatography with evaporative light scattering and mass spectrometric detection 549(1991)247
Cramer, S. M., see Kim, Y. J. 549(1991)89
Dimov, N. and Matisová, E.
Improved method for prediction of gas chromatographic retention indices of C_9–C_{12} alkylbenzenes 549(1991)325
Eiceman, G. A. and Lara, A. S.
Gas chromatographic properties of organoammonium exchanged montmorillonites. I. Tetraalkylammonium cations 549(1991)273
Eiceman, G. A., see Lara, A. S. 549(1991)283
El-Sayed Metwally, M.
Stability-indicating high-performance liquid chromatographic assay for α-methyldopa in sustained-release capsules 549(1991)221
Everaerts, F. M., see Ackermans, M. T. 549(1991)345
Fassina, G., see Zamai, M. 549(1991)195
Fellin, P., see Williams, D. T. 549(1991)297
Forsyth, D. A., see Mahmoud, M. E. 549(1991)416
Furusawa, M., see Kiba, N. 549(1991)127
Fuse, H., see Kiba, N. 549(1991)127
Gasa, S., see Kato, N. 549(1991)133
Gaur, R. K.
High-performance liquid chromatography of synthetic oligonucleotides. A new affinity protecting group 549(1991)207
Gawdzik, B.
Comparison of the selectivity of di-(methacryloyloxymethyl)-naphthalene–divinylbenzene copolymers in reversed-phase high-performance liquid chromatography 549(1991)77
Gaydou, E. M., Berahia, T., Wallet, J.-C. and Bianchini, J.-P.
Gas chromatography of some polymethoxylated flavones and their determination in orange peel oils 549(1991)440
Ghatge, B. B. and Bhalerao, N. V.
Application of substituted liquid crystals as stationary phases in gas–liquid chromatography for the separation of mono- and dimethyl naphthalenes 549(1991)423
Gigante, B., Barros, A. M. V., Teixeira, A. and Marcelo-Curto, M. J.
Separation and simultaneous high-performance liquid chromatographic determination of benzocaine and benzyl benzoate in a pharmaceutical preparation 549(1991)217
Groenland, W. P. T., see Verhaar, L. A. T. 549(1991)113

Grotjan, H. E., Schanbacher, B. D. and Keel, B. A.
Ovine luteinizing hormone. V. Significance of flow-through peaks observed during chromatofocusing as revealed by various methods of sample preparation and application 549(1991)141

Grotjan, H. E. and Zalesky, D. D.
Ovine luteinizing hormone. VI. Analysis of the misclassification errors in the separation of intrapituitary isohormones by chromatofocusing 549(1991)153

Helmer, J. C., see Salomon, K. 549(1991)375

Hendriks, H. E. J., see Verhaar, L. A. T. 549(1991)113

Herterich, R.
Gas chromatographic determination of nitrophenols in atmospheric liquid water and airborne particulates 549(1991)313

Hosoya, K., see Tanaka, N. 549(1991)29

Hsu, M.-C. and Cheng, M.-C.
High-performance liquid chromatographic method for the determination of cloxacillin in commercial preparations and for stability studies 549(1991)410

Incorvia Mattina, M. J.
Carrier effect in the analysis of phenylurea herbicides using high-performance liquid chromatography–particle beam-mass spectrometry 549(1991)237

Ito, K., Shoto, E. and Sunahara, H.
Ion chromatography of inorganic iodine species using C_{18} reversed-phase columns coated with cetyltrimethylammonium 549(1991)265

Kamahori, M., Watanabe, Y., Miyagi, H., Ohki, H. and Miyake, R.
Two-dimensional viscous flow analysis in a micro flow-cell of an ultraviolet absorption detector for high-performance liquid chromatography 549(1991)101

Karlaganis, G., Von Arx, R., Ammon, H. U. and Camenzind, R.
High-performance liquid chromatographic determination of atrazine, deisopropylatrazine and deethylatrazine in soils from corn fields 549(1991)229

Kato, N., Gasa, S., Makita, A. and Oguchi, H.
Improved separation of lysoglycolipids from solvolysates by reversed-phase high-performance liquid chromatography 549(1991)133

Kawai, S., see Koh, S. 549(1991)434

Keel, B. A., see Grotjan, H. E. 549(1991)141

Kenndler, E., see Widhalm, A. 549(1991)446

Kiba, N., Shitara, K., Fuse, H., Furusawa, M. and Takata, Y.
Column liquid chromatographic determination of saccharides with a single calibration graph using post-column enzyme reactors and coulometric detection 549(1991)127

Kim, Y. J. and Cramer, S. M.
Metal affinity displacement chromatography of proteins 549(1991)89

Kimata, K., see Tanaka, N. 549(1991)29

Koh, S., Urayama, K., Kawai, S. and Takayama, Y.
Application of a metal capillary column in gas chromatographic determination of catechol-O-methyltransferase activity 549(1991)434

Krull, I. S., see Lookabaugh, M. 549(1991)357

Kurantz, M. J., Maxwell, R. J., Kwoczak, R. and Taylor, F.
Rapid and sensitive method for the quantitation of non-polar lipids by high-performance thin-layer chromatography and fluorodensitometry 549(1991)387

Kuster, B. F. M., see Verhaar, L. A. T. 549(1991)113

Kwoczak, R., see Kurantz, M. J. 549(1991)387

Lanteri, P., see Vialle, J. 549(1991)159

Lara, A. S. and Eiceman, G. A.
Gas chromatographic retention properties of organoammonium exchanged montmorillonites. II. $CH_3N^+H_3$, $(CH_3)_4N^+$, $(CH_3)_3N^+CH_2C_6H_5$ and 1,4-diazabicyclo[2.2.2]octane · $2H^+$ 549(1991)283

Lara, A. S., see Eiceman, G. A. 549(1991)273

Longeray, R., see Vialle, J. 549(1991)159

Longobardi, M. G., see Viscomi, G. C. 549(1991)175

Lookabaugh, M., Biswas, M. and Krull, I. S.
Quantitation of insulin injection by high-performance liquid chromatography and high-performance capillary electrophoresis 549(1991)357

Mahmoud, M. E., Moussa, A. M., Forsyth, D. A. and Vouros, P.
Hydrogen–deuterium exchange in fused-silica capillary columns 549(1991)416

Makita, A., see Kato, N. 549(1991)133

Marcelo-Curto, M. J., see Gigante, B. 549(1991)217

Matisová, E., see Dimov, N. 549(1991)325

Mauri, P. L., see Pietta, P. G. 549(1991)367

Maxwell, R. J., see Kurantz, M. J. 549(1991)387

Miyagawa, F., Tsuchida, Y. and Shimizu, T.
Detection of octopamine in an insect ganglion by high-performance liquid chromatography–native fluorescence 549(1991)400

Miyagi, H., see Kamahori, M. 549(1991)101
Miyake, R., see Kamahori, M. 549(1991)101
Moussa, A. M., see Mahmoud, M. E. 549(1991)416
Navarro, P., see Vialle, J. 549(1991)159
Nero, V. P., see Chen, Jr., E. N. 549(1991)247
Nguyet, T. T., see Vialle, J. 549(1991)159
Oguchi, H., see Kato, N. 549(1991)133
Ohki, H., see Kamahori, M. 549(1991)101
Okafo, G. N. and Camilleri, P.
The effect of ^2H_2O and an ion-pairing agent on the liquid chromatographic separation of dansylated amino acids 549(1991)404
Pietta, P. G., Mauri, P. L., Rava, A. and Sabbatini, G.
Application of micellar electrokinetic capillary chromatography to the determination of flavonoid drugs 549(1991)367
Rava, A., see Pietta, P. G. 549(1991)367
Saari-Nordhaus, R. and Anderson, Jr., J. M.
Simultaneous analysis of anions and cations by single-column ion chromatography 549(1991)257
Sabbatini, G., see Pietta, P. G. 549(1991)367
Salenko, V. L., Troshkov, M. L. and Zibarev, A. V.
Cyclic aryleneazachalcogenenes. IV. Gas chromatographic properties of polyfluorinated 2,1,3-benzoselenadiazoles 549(1991)429
Salomon, K., Burgi, D. S. and Helmer, J. C.
Separation of seven tricyclic antidepressants using capillary electrophoresis 549(1991)375
Schanbacher, B. D., see Grotjan, H. E. 549(1991)141
Schnable, J. G., Capangpangan, M. B. and Suffet, I. H.
Continuous automatic monitoring of volatile organic compounds in aqueous streams by a modified purge-and-trap system 549(1991)335
Schwer, C., see Widhalm, A. 549(1991)446
Shimizu, T., see Miyagawa, F. 549(1991)400
Shitara, K., see Kiba, N. 549(1991)127
Shoto, E., see Ito, K. 549(1991)265
Stegehuis, D. S., Tjaden, U. R., Van den Beld, C. M. B. and Van der Greef, J.
Bioanalysis of the neuropeptide des-enkephalin-γ-endorphin by high-performance liquid chromatography with on-line sample pretreatment using gel permeation and solid-phase isolation 549(1991)185
Suffet, I. H., see Schnable, J. G. 549(1991)335
Sunahara, H., see Ito, K. 549(1991)265
Takata, Y., see Kiba, N. 549(1991)127
Takayama, Y., see Koh, S. 549(1991)434
Tanaka, N., Tanigawa, T., Kimata, K., Hosoya, K. and Araki, T.
Selectivity of carbon packing materials in comparison with octadecylsilyl- and pyrenylethylsilylsilica gels in reversed-phase liquid chromatography 549(1991)29
Tanigawa, T., see Tanaka, N. 549(1991)29
Taylor, F., see Kurantz, M. J. 549(1991)387
Teixeira, A., see Gigante, B. 549(1991)217
Tjaden, U. R., see Stegehuis, D. S. 549(1991)185
Tran, Q., see Williams, D. T. 549(1991)297
Troshkov, M. L., see Salenko, V. L. 549(1991)429
Tsuchida, Y., see Miyagawa, F. 549(1991)400
Urayama, K., see Koh, S. 549(1991)434
Van den Beld, C. M. B., see Stegehuis, D. S. 549(1991)185
Van der Greef, J., see Stegehuis, D. S. 549(1991)185
Verdini, A. S., see Viscomi, G. C. 549(1991)175
Verhaar, L. A. T., Hendriks, H. E. J., Groenland, W. P. T. and Kuster, B. F. M.
High-performance liquid chromatography of reaction mixtures from the oxidation and degradation of lactose 549(1991)113
Vialle, J., Navarro, P., Nguyet, T. T., Lanteri, P. and Longeray, R.
Experimental design for the optimization of the separation of aliphatic amines by ion chromatography 549(1991)159
Viscomi, G. C., Cardinali, C., Longobardi, M. G. and Verdini, A. S.
Large-scale purification of the synthetic peptide fragment 163–171 of human interleukin-β by multi-dimensional displacement chromatogaphy 549(1991)175
Von Arx, R., see Karlaganis, G. 549(1991)229
Vouros, P., see Mahmoud, M. E. 549(1991)416
Wallet, J.-C., see Gaydou, E. M. 549(1991)440
Watanabe, Y., see Kamahori, M. 549(1991)101
Widhalm, A., Schwer, C., Blaas, D. and Kenndler, E.
Capillary zone electrophoresis with a linear, non-cross-linked polyacrylamide gel: separation of proteins according to molecular mass 549(1991)446
Williams, D. T., Tran, Q., Fellin, P. and Brice, K. A.
Evaluation of gas chromatography–Fourier transform infrared spectroscopy–mass spectrometry for analysis of phenolic compounds 549(1991)297
Zalesky, D. D., see Grotjan, H. E. 549(1991)153
Zamai, M. and Fassina, G.
Mobile phase effects in the high-performance affinity purification of thermolysin 549(1991)195
Zibarev, A. V., see Salenko, V. L. 549(1991)429